

| | | | | | | | | | |
|---------|-----|---------|--------|--|----|------|-----------|--------------|---|
| S71-S74 | Low | 18x9.0 | Both | | 44 | 6.70 | 245 | 7XLX8090A67B | Rear will accept A suffix. Front and rear is B and is Special order |
| S71-S74 | Low | 18x9.5 | R only | | 37 | 6.70 | F255/R285 | 7XLX8095A67B | edgy fit, watch tire width, Test wheel on car before mounting tire |
| S71-S74 | Low | 18x10.0 | R only | | 43 | 7.20 | 285 | 7XLX8100A72A | edgy fit, watch tire width, Test wheel on car before mounting tire |
| S71-S74 | Low | 18x10.5 | R only | | 50 | 7.70 | 285 | 7XLX8105A77A | edgy fit, watch tire width, Test wheel on car before mounting tire |

| | | | | | | | | | | |
|-----|---------|-----|---------|--------|--|-----|------|----------------------------|--------------|--|
| 20" | S71-S74 | Low | 20x4.5 | Fr | | -20 | 2.00 | M/T Sportsman S/R or M & H | 7XLX0045A20A | |
| | S71-S74 | Low | 20x5.0 | Fr | | -13 | 2.50 | M/T Sportsman S/R or M & H | 7XLX0050A25A | |
| | S71-S74 | Low | 20x5.5 | Fr | | -6 | 3.00 | | 7XLX0055A30A | |
| | S71-S74 | Low | 20x6.0 | Fr | | 0 | 3.50 | | 7XLX0060A35A | |
| | S71-S74 | Low | 20x6.5 | Fr | | 6 | 4.00 | | 7XLX0065A40A | |
| | S71-S74 | Low | 20x7.0 | Fr | | 13 | 4.50 | | 7XLX0070A45A | |
| | S71-S74 | Low | 20x7.5 | Fr | | 19 | 5.00 | | 7XLX0075A50A | |
| | S71-S74 | Low | 20x8.0 | Both | | 25 | 5.50 | | 7XLX0080A55A | |
| | S71-S74 | Low | 20x8.5 | Both | | 32 | 6.00 | | 7XLX0085A60A | |
| | S71-S74 | Low | 20x9.0 | Both | | 39 | 6.50 | 245 | 7XLX0090A65A | |
| | S71-S74 | Low | 20x9.5 | Both | | 45 | 7.00 | F255/R285 | 7XLX0095A70A | |
| | S71-S74 | Low | 20x10.0 | R only | | 51 | 7.50 | | 7XLX0100A75A | |
| | S71-S74 | Low | 20x10.5 | R only | | 58 | 8.00 | 285 | 7XLX0105A80A | |

Mustang GT
S197 2005-2010
5x4.5 (A) bolt circle
12.44" front rotor

| | | | | | | | | | | |
|-----|-----|--------|----------|--------|--|-----|------|-----------|--------------|--|
| 15" | S71 | Medium | 15x4.08 | Fr | | -27 | 1.50 | 26x4.5-15 | 71MX-504A15A | wider than 4.08 front wheel requires 17" or 18" diameter |
| | S71 | Medium | 15x8.25 | R only | | 22 | 5.50 | | 71MX-508A55A | |
| | S71 | Medium | 15x9.08 | R only | | 37 | 6.50 | | 71MX-509A65A | Relocate rear stab bar BMR |
| | S71 | Medium | 15x10.08 | R only | | 50 | 7.50 | 275 | 71MX-510A75A | Relocate rear stab bar BMR |

| | | | | | | | | | | |
|-----|-----|--------|---------|--------|--|-----|------|--------------------------|--------------|--|
| 17" | S71 | Medium | 17x4.5 | Fr | | -14 | 2.20 | 26x7.5-17 Hoosier or M&H | 71MX7045A22A | |
| | S71 | Medium | 17x4.7 | Fr | | 1 | 2.90 | | 71MX7047A30A | |
| | S71 | Medium | 17x5.2 | Fr | | -5 | 2.90 | | 71MX7052A30A | |
| | S71 | Medium | 17x5.5 | Fr | | 1 | 3.30 | | 71MX7055A33A | |
| | S71 | Medium | 17x6.0 | Fr | | 8 | 3.80 | | 71MX7060A38A | |
| | S71 | Medium | 17x6.5 | Fr | | 14 | 4.30 | | 71MX7065A43A | |
| | S71 | Medium | 17x7.0 | Fr | | 20 | 4.80 | | 71MX7070A48A | |
| | S71 | Medium | 17x7.5 | Fr | | 27 | 5.30 | | 71MX7075A53A | |
| | S71 | Medium | 17x8.0 | Both | | 33 | 5.80 | | 71MX7080A58A | |
| | S71 | Medium | 17x8.5 | Both | | 39 | 6.30 | | 71MX7085A63A | |
| | S71 | Medium | 17x9.0 | Both | | 46 | 6.80 | 245F/285R | 71MX7090A68A | |
| | S71 | Medium | 17x9.5 | Both | | 40 | 6.80 | 245F/285R | 71MX7095A68A | |
| | S71 | Medium | 17x10.0 | R only | | 58 | 7.80 | | 71MX7100A78A | |
| | S71 | Medium | 17x10.5 | R only | | 53 | 7.80 | 285 | 71MX7105A78A | edgy fit, watch tire width, Test wheel on car before mounting tire |

| | | | | | | | | | | |
|-----|---------|--------|---------|--------|--|----|------|----------------------------|--------------|--|
| 18" | S71-S74 | Medium | 18x4.5 | Fr | | -2 | 2.70 | M/T Sportsman S/R or M & H | 7XMX8045A27A | |
| | S71-S74 | Medium | 18x5.0 | Fr | | 6 | 3.20 | M/T Sportsman S/R or M & H | 7XMX8050A32A | |
| | S71-S74 | Medium | 18x5.5 | Fr | | -1 | 3.20 | | 7XMX8055A32A | |
| | S71-S74 | Medium | 18x6.0 | Fr | | 5 | 3.70 | | 7XMX8060A37A | |
| | S71-S74 | Medium | 18x6.5 | Fr | | 11 | 4.20 | | 7XMX8065A42A | |
| | S71-S74 | Medium | 18x7.0 | Fr | | 18 | 4.70 | | 7XMX8070A47A | |
| | S71-S74 | Medium | 18x7.5 | Fr | | 24 | 5.20 | | 7XMX8075A52A | |
| | S71-S74 | Medium | 18x8.0 | Both | | 30 | 5.70 | | 7XMX8080A57A | |
| | S71-S74 | Medium | 18x8.5 | Both | | 37 | 6.20 | | 7XMX8085A62A | |
| | S71-S74 | Medium | 18x9.0 | Both | | 44 | 6.70 | 245F/285R | 7XMX8090A67A | |
| | S71-S74 | Medium | 18x9.5 | Both | | 37 | 6.70 | 255F/295R | 7XMX8095A67A | edgy fit, watch tire width, Test wheel on car before mounting tire |
| | S71-S74 | Medium | 18x10.0 | R only | | 56 | 7.70 | | 7XMX8100A77A | |
| | S71-S74 | Medium | 18x10.5 | R only | | 50 | 7.70 | 295 | 7XMX8105A77A | |

| | | | | | | | | | | |
|-----|---------|--------|---------|--------|--|----|------|----------------------------|--------------|--|
| 20" | S71-S74 | Medium | 20x4.5 | Fr | | -9 | 2.40 | M/T Sportsman S/R or M & H | 7XMX0045A24A | |
| | S71-S74 | Medium | 20x5.0 | Fr | | 6 | 2.40 | M/T Sportsman S/R or M & H | 7XMX0050A24A | |
| | S71-S74 | Medium | 20x5.5 | Fr | | -9 | 2.90 | | 7XMX0055A29A | |
| | S71-S74 | Medium | 20x6.0 | Fr | | -3 | 3.40 | | 7XMX0060A34A | |
| | S71-S74 | Medium | 20x6.5 | Fr | | 4 | 3.90 | | 7XMX0065A39A | |
| | S71-S74 | Medium | 20x7.0 | Fr | | 10 | 4.40 | | 7XMX0070A44A | |
| | S71-S74 | Medium | 20x7.5 | Fr | | 17 | 4.90 | | 7XMX0075A49A | |
| | S71-S74 | Medium | 20x8.0 | Both | | 23 | 5.40 | | 7XMX0080A54A | |
| | S71-S74 | Medium | 20x8.5 | Both | | 29 | 5.90 | | 7XMX0085A59A | |
| | S71-S74 | Medium | 20x9.0 | Both | | 36 | 6.40 | 245F/285R | 7XMX0090A64A | |
| | S71-S74 | Medium | 20x9.5 | Both | | 42 | 6.90 | 255F/295R | 7XMX0095A69A | edgy fit, watch tire width, Test wheel on car before mounting tire |
| | S71-S74 | Medium | 20x10.0 | R only | | 48 | 7.40 | | 7XMX0100A74A | |
| | S71-S74 | Medium | 20x10.5 | R only | | 55 | 7.90 | 295 | 7XMX0105A79A | |

| | | | | | | | | | | | |
|---|---------|---------|---------|----------|--------|------|------|----------------------------|--------------|--|--|
| Mustang Base S197 2005-2011 5x4.5 (A) bolt circle 11" front rotor 2005-2010 12.44" front rotor 2011+ | 15" | S71 | Medium | 15x4.08 | Fr | | -27 | 1.50 | 26X4.5-15 | 71MX-504A15A | wider than 4.08 front wheel requires 17" or 18" diameter |
| | | S71 | Medium | 15x8.25 | R only | | 22 | 5.50 | | 71MX-508A55A | |
| | | S71 | Medium | 15x9.08 | R only | | 37 | 6.50 | | 71MX-509A65A | Relocate rear stab bar BMR |
| | | S71 | Medium | 15x10.08 | R only | | 50 | 7.50 | 275 | 71MX-510A75A | Relocate rear stab bar BMR |
| 17" | S71 | Medium | 17x4.5 | Fr | | -14 | 2.20 | 26x7.5-17 Hoosier or M&H | 71MX7045A22A | | |
| | S71 | Medium | 17x4.7 | Fr | | 1 | 2.90 | | 71MX7047A30A | | |
| | S71 | Medium | 17x5.2 | Fr | | -5 | 2.90 | | 71MX7052A30A | | |
| | S71 | Medium | 17x5.5 | Fr | | 1 | 3.30 | | 71MX7055A33A | | |
| | S71 | Medium | 17x6.0 | Fr | | 8 | 3.80 | | 71MX7060A38A | | |
| | S71 | Medium | 17x6.5 | Fr | | 14 | 4.30 | | 71MX7065A43A | | |
| | S71 | Medium | 17x7.0 | Fr | | 20 | 4.80 | | 71MX7070A48A | | |
| | S71 | Medium | 17x7.5 | Fr | | 27 | 5.30 | | 71MX7075A53A | | |
| | S71 | Medium | 17x8.0 | Both | | 33 | 5.80 | | 71MX7080A58A | | |
| | S71 | Medium | 17x8.5 | Both | | 39 | 6.30 | | 71MX7085A63A | | |
| | S71 | Medium | 17x9.0 | Both | | 46 | 6.80 | 245F/285R | 71MX7090A68A | | |
| | S71 | Medium | 17x9.5 | Both | | 40 | 6.80 | 245F/285R | 71MX7095A68A | | |
| | S71 | Medium | 17x10.0 | R only | | 58 | 7.80 | | 71MX7100A78A | | |
| | S71 | Medium | 17x10.5 | R only | | 53 | 7.80 | 285 | 71MX7105A78A | edgy fit, watch tire width, Test wheel on car before mounting tire | |
| 18" | S71-S74 | Medium | 18x4.5 | Fr | | -2 | 2.70 | M/T Sportsman S/R or M & H | 7XMX8045A27A | | |
| | S71-S74 | Medium | 18x5.0 | Fr | | 6 | 3.20 | M/T Sportsman S/R or M & H | 7XMX8050A32A | | |
| | S71-S74 | Medium | 18x5.5 | Fr | | -1 | 3.20 | | 7XMX8055A32A | | |
| | S71-S74 | Medium | 18x6.0 | Fr | | 5 | 3.70 | | 7XMX8060A37A | | |
| | S71-S74 | Medium | 18x6.5 | Fr | | 11 | 4.20 | | 7XMX8065A42A | | |
| | S71-S74 | Medium | 18x7.0 | Fr | | 18 | 4.70 | | 7XMX8070A47A | | |
| | S71-S74 | Medium | 18x7.5 | Fr | | 24 | 5.20 | | 7XMX8075A52A | | |
| | S71-S74 | Medium | 18x8.0 | Both | | 30 | 5.70 | | 7XMX8080A57A | | |
| | S71-S74 | Medium | 18x8.5 | Both | | 37 | 6.20 | | 7XMX8085A62A | | |
| | S71-S74 | Medium | 18x9.0 | Both | | 44 | 6.70 | 245F/285R | 7XMX8090A67A | | |
| | S71-S74 | Medium | 18x9.5 | Both | | 37 | 6.70 | 255F/295R | 7XMX8095A67A | edgy fit, watch tire width, Test wheel on car before mounting tire | |
| S71-S74 | Medium | 18x10.0 | R only | | 56 | 7.70 | | 7XMX8100A77A | | | |
| S71-S74 | Medium | 18x10.5 | R only | | 50 | 7.70 | 295 | 7XMX8105A77A | | | |
| 20" | S71-S74 | Medium | 20x4.5 | Fr | | -9 | 2.40 | M/T Sportsman S/R or M & H | 7XMX0045A24A | | |
| | S71-S74 | Medium | 20x5.0 | Fr | | 6 | 2.40 | M/T Sportsman S/R or M & H | 7XMX0050A24A | | |
| | S71-S74 | Medium | 20x5.5 | Fr | | -9 | 2.90 | | 7XMX0055A29A | | |
| | S71-S74 | Medium | 20x6.0 | Fr | | -3 | 3.40 | | 7XMX0060A34A | | |
| | S71-S74 | Medium | 20x6.5 | Fr | | 4 | 3.90 | | 7XMX0065A39A | | |
| | S71-S74 | Medium | 20x7.0 | Fr | | 10 | 4.40 | | 7XMX0070A44A | | |
| | S71-S74 | Medium | 20x7.5 | Fr | | 17 | 4.90 | | 7XMX0075A49A | | |
| | S71-S74 | Medium | 20x8.0 | Both | | 23 | 5.40 | | 7XMX0080A54A | | |
| | S71-S74 | Medium | 20x8.5 | Both | | 29 | 5.90 | | 7XMX0085A59A | | |
| | S71-S74 | Medium | 20x9.0 | Both | | 36 | 6.40 | 245F/285R | 7XMX0090A64A | | |
| | S71-S74 | Medium | 20x9.5 | Both | | 42 | 6.90 | 255F/295R | 7XMX0095A69A | edgy fit, watch tire width, Test wheel on car before mounting tire | |
| | S71-S74 | Medium | 20x10.0 | R only | | 48 | 7.40 | | 7XMX0100A74A | | |
| | S71-S74 | Medium | 20x10.5 | R only | | 55 | 7.90 | 295 | 7XMX0105A79A | | |
| Mustang SN95 Cobra, Bullet,Mach 1 1994-2004 13" front rotor 5x4.5 (A) bolt circle | 15" | S71 | Medium | 15x8.25 | R only | | 22 | 5.50 | | 71MX-508A55A | |
| | | S71 | Medium | 15x9.08 | R only | | 37 | 6.50 | | 71MX-509A65A | roll fender lip, remove quad shock, clearance inner fender, & modify tailpipes |
| | | S71 | Medium | 15x10.33 | R only | | 25 | 6.50 | 275 | 71MX-510A65A | roll fender lip, remove quad shock, clearance inner fender, & modify tailpipes |
| 17" | S71 | Medium | 17x4.5 | Fr | | -14 | 2.20 | 26x7.5-17 Hoosier or M&H | 71MX7045A22A | | |
| | S71 | Medium | 17x4.7 | Fr | | 1 | 2.90 | | 71MX7047A30A | | |
| | S71 | Medium | 17x5.5 | Fr | | 1 | 3.30 | | 71MX7055A33A | | |
| | S71 | Medium | 17x6.0 | Fr | | 8 | 3.80 | | 71MX7060A38A | | |
| | S71 | Medium | 17x6.5 | Fr | | 14 | 4.30 | | 71MX7065A43A | | |
| | S71 | Medium | 17x7.0 | Fr | | 20 | 4.80 | | 71MX7070A48A | | |
| | S71 | Medium | 17x7.5 | Fr | | 27 | 5.30 | | 71MX7075A53A | | |
| | S71 | Medium | 17x8.0 | Both | | 33 | 5.80 | | 71MX7080A58A | | |
| | S71 | Medium | 17x8.5 | Both | | 27 | 5.80 | 245F/275R | 71MX7085A58A | | |
| | S71 | Medium | 17x9.0 | R only | | 20 | 5.80 | | 71MX7090A58A | | |
| | S71 | Medium | 17x9.5 | R only | | 27 | 6.30 | | 71MX7095A63A | | |
| | S71 | Medium | 17x10.0 | R only | | 21 | 6.30 | 245F/275R | 71MX7100A63A | edgy fit, watch tire width | |
| | S71-S74 | Medium | 18x4.5 | Fr | | -2 | 2.70 | M/T Sportsman S/R or M & H | 7XMX8045A27A | | |
| | | Medium | 18x5.0 | Fr | | 6 | 3.20 | M/T Sportsman S/R or M & H | 7XMX8050A32A | | |
| Medium | | 18x5.5 | Fr | | -1 | 3.20 | | 7XMX8055A32A | | | |

| | | | | | | | | | |
|-----|---------|--------|---------|--------|----|------|-----------|--------------|--|
| 18" | S71-S74 | Medium | 18x6.0 | Fr | 5 | 3.70 | | 7XMX8060A37A | |
| | S71-S74 | Medium | 18x6.5 | Fr | -1 | 3.70 | | 7XMX8065A37A | |
| | S71-S74 | Medium | 18x7.0 | Fr | 5 | 4.20 | | 7XMX8070A42A | |
| | S71-S74 | Medium | 18x7.5 | Fr | 11 | 4.70 | | 7XMX8075A47A | |
| | S71-S74 | Medium | 18x8.0 | Both | 18 | 5.20 | | 7XMX8080A52A | |
| | S71-S74 | Medium | 18x8.5 | Both | 11 | 5.20 | | 7XMX8085A52A | |
| | S71-S74 | Medium | 18x9.0 | Both | 25 | 5.70 | 245F/275R | 7XMX8090A57A | |
| | S71-S74 | Medium | 18x9.5 | R only | 24 | 6.20 | | 7XMX8095A62A | |
| | S71-S74 | Medium | 18x10.0 | R only | 18 | 6.20 | 245F/275R | 7XMX8100A632 | edgy fit, watch tire width, Test wheel on car before mounting tire |

| | | | | | | | | | |
|-----|---------|--------|---------|--------|----|------|----------------------------|--------------|--|
| 20" | S71-S74 | Medium | 20x4.5 | Fr | -9 | 2.40 | M/T Sportsman S/R or M & H | 7XMX0045A24A | |
| | S71-S74 | Medium | 20x5.0 | Fr | 11 | 3.40 | M/T Sportsman S/R or M & H | 7XMX0050A34A | |
| | S71-S74 | Medium | 20x5.5 | Fr | 4 | 3.40 | | 7XMX0055A34A | |
| | S71-S74 | Medium | 20x6.0 | Fr | 10 | 3.90 | | 7XMX0060A39A | |
| | S71-S74 | Medium | 20x6.5 | Fr | 4 | 3.90 | | 7XMX0065A39A | |
| | S71-S74 | Medium | 20x7.0 | Fr | 10 | 4.40 | | 7XMX0070A44A | |
| | S71-S74 | Medium | 20x7.5 | Fr | 17 | 4.90 | | 7XMX0075A49A | |
| | S71-S74 | Medium | 20x8.0 | Both | 23 | 5.40 | | 7XMX0080A54A | |
| | S71-S74 | Medium | 20x8.5 | Both | 17 | 5.40 | | 7XMX0085A54A | |
| | S71-S74 | Medium | 20x9.0 | Both | 30 | 5.90 | 245F/275R | 7XMX0085A59A | |
| | S71-S74 | Medium | 20x9.5 | R only | 29 | 6.40 | | 7XMX0090A64A | |
| | S71-S74 | Medium | 20x10.0 | R only | 23 | 6.40 | 245F/275R | 7XMX0100A64A | edgy fit, watch tire width, Test wheel on car before mounting tire |

Mustang SN95 GT
and Base
1994-2004
5x4.5 (A) bolt circle

| | | | | | | | | | |
|-----|-----|--------|----------|--------|-----|------|-----------|--------------|----------------------------|
| 15" | S71 | Medium | 15x4.08 | Fr | -26 | 1.50 | 26X4.5-15 | 71MX-504A15A | |
| | S71 | Medium | 15x5.25 | Fr | -16 | 2.50 | | 71MX-505A25A | |
| | S71 | Medium | 15x6.25 | Fr | -3 | 3.50 | | 71MX-506A35A | |
| | S71 | Medium | 15x7.25 | Fr | 10 | 4.50 | | 71MX-507A45A | |
| | S71 | Medium | 15x8.08 | Both | 26 | 5.50 | 245 | 71MX-508A55A | |
| | S71 | Medium | 15x9.08 | R only | 37 | 6.50 | | | |
| | S71 | Medium | 15x10.33 | R only | 21 | 6.50 | 275 | 71MX-510A65A | edgy fit, watch tire width |

| | | | | | | | | | |
|-----|-----|--------|---------|--------|-----|------|--------------------------|--------------|----------------------------|
| 17" | S71 | Medium | 17x4.5 | Fr | -14 | 2.20 | 26x7.5-17 Hoosier or M&H | 71MX7045A22A | |
| | S71 | Medium | 17x4.7 | Fr | 1 | 2.90 | | 71MX7047A30A | |
| | S71 | Medium | 17x5.5 | Fr | 1 | 3.30 | | 71MX7055A33A | |
| | S71 | Medium | 17x6.0 | Fr | 8 | 3.80 | | 71MX7060A38A | |
| | S71 | Medium | 17x6.5 | Fr | 14 | 4.30 | | 71MX7065A43A | |
| | S71 | Medium | 17x7.0 | Fr | 20 | 4.80 | | 71MX7070A48A | |
| | S71 | Medium | 17x7.5 | Fr | 27 | 5.30 | | 71MX7075A53A | |
| | S71 | Medium | 17x8.0 | Both | 33 | 5.80 | | 71MX7080A58A | |
| | S71 | Medium | 17x8.5 | Both | 27 | 5.80 | 245F/275R | 71MX7085A58A | |
| | S71 | Medium | 17x9.0 | R only | 20 | 5.80 | | 71MX7090A58A | |
| | S71 | Medium | 17x9.5 | R only | 27 | 6.30 | | 71MX7095A63A | |
| | S71 | Medium | 17x10.0 | R only | 21 | 6.30 | 245F/275R | 71MX7100A63A | edgy fit, watch tire width |

| | | | | | | | | | |
|-----|---------|--------|---------|--------|----|------|----------------------------|--------------|--|
| 18" | S71-S74 | Medium | 18x4.5 | Fr | -2 | 2.70 | M/T Sportsman S/R or M & H | 7XMX8045A27A | |
| | S71-S74 | Medium | 18x5.0 | Fr | 6 | 3.20 | M/T Sportsman S/R or M & H | 7XMX8050A32A | |
| | S71-S74 | Medium | 18x5.5 | Fr | -1 | 3.20 | | 7XMX8055A32A | |
| | S71-S74 | Medium | 18x6.0 | Fr | 5 | 3.70 | | 7XMX8060A37A | |
| | S71-S74 | Medium | 18x6.5 | Fr | -1 | 3.70 | | 7XMX8065A37A | |
| | S71-S74 | Medium | 18x7.0 | Fr | 5 | 4.20 | | 7XMX8070A42A | |
| | S71-S74 | Medium | 18x7.5 | Fr | 11 | 4.70 | | 7XMX8075A47A | |
| | S71-S74 | Medium | 18x8.0 | Both | 18 | 5.20 | | 7XMX8080A52A | |
| | S71-S74 | Medium | 18x8.5 | Both | 11 | 5.20 | | 7XMX8085A52A | |
| | S71-S74 | Medium | 18x9.0 | Both | 25 | 5.70 | 245F/275R | 7XMX8090A57A | |
| | S71-S74 | Medium | 18x9.5 | R only | 24 | 6.20 | | 7XMX8095A62A | |
| | S71-S74 | Medium | 18x10.0 | R only | 18 | 6.20 | 245F/275R | 7XMX8100A632 | edgy fit, watch tire width, Test wheel on car before mounting tire |

| | | | | | | | | | |
|-----|---------|--------|---------|--------|----|------|----------------------------|--------------|--|
| 20" | S71-S74 | Medium | 20x4.5 | Fr | -9 | 2.40 | M/T Sportsman S/R or M & H | 7XMX0045A24A | |
| | S71-S74 | Medium | 20x5.0 | Fr | 11 | 3.40 | M/T Sportsman S/R or M & H | 7XMX0050A34A | |
| | S71-S74 | Medium | 20x5.5 | Fr | 4 | 3.40 | | 7XMX0055A34A | |
| | S71-S74 | Medium | 20x6.0 | Fr | 10 | 3.90 | | 7XMX0060A39A | |
| | S71-S74 | Medium | 20x6.5 | Fr | 4 | 3.90 | | 7XMX0065A39A | |
| | S71-S74 | Medium | 20x7.0 | Fr | 10 | 4.40 | | 7XMX0070A44A | |
| | S71-S74 | Medium | 20x7.5 | Fr | 17 | 4.90 | | 7XMX0075A49A | |
| | S71-S74 | Medium | 20x8.0 | Both | 23 | 5.40 | | 7XMX0080A54A | |
| | S71-S74 | Medium | 20x8.5 | Both | 17 | 5.40 | | 7XMX0085A54A | |
| | S71-S74 | Medium | 20x9.0 | Both | 30 | 5.90 | 245F/275R | 7XMX0085A59A | |
| | S71-S74 | Medium | 20x9.5 | R only | 29 | 6.40 | | 7XMX0090A64A | |
| | S71-S74 | Medium | 20x10.0 | R only | 23 | 6.40 | 245F/275R | 7XMX0100A64A | edgy fit, watch tire width, Test wheel on car before mounting tire |

Mustang Fox Cobra R
1993
5x4.5 (A) bolt circle

| | | | | | | | | | |
|-----|-----|--------|---------|--------|----|------|-----|--------------|--|
| 15" | S71 | Medium | 15x8.08 | R only | 24 | 5.50 | 255 | 71MX-508A55A | |
| | S71 | Medium | 15x9.08 | R only | 38 | 6.50 | 255 | 71MX-509A65A | Requires exhaust modification and removal of quad shocks |

| | | | | | | | | | |
|-----|-----|--------|--------|------|-----|------|--------------------------|--------------|--|
| 17" | S71 | Medium | 17x4.5 | Fr | -14 | 2.20 | 26x7.5-17 Hoosier or M&H | 71MX7045A22A | |
| | S71 | Medium | 17x4.7 | Fr | 1 | 2.90 | | 71MX7047A30A | |
| | S71 | Medium | 17x5.5 | Fr | 1 | 3.30 | | 71MX7055A33A | |
| | S71 | Medium | 17x6.0 | Fr | 8 | 3.80 | | 71MX7060A38A | |
| | S71 | Medium | 17x6.5 | Fr | 14 | 4.30 | | 71MX7065A43A | |
| | S71 | Medium | 17x7.0 | Fr | 20 | 4.80 | | 71MX7070A48A | |
| | S71 | Medium | 17x7.5 | Fr | 27 | 5.30 | | 71MX7075A53A | |
| | S71 | Medium | 17x8.0 | Both | 33 | 5.80 | | 71MX7080A58A | |
| | S71 | Medium | 17x8.5 | Both | 27 | 5.80 | 245F/275R | 71MX7085A58A | |

| | | | | | | | | | |
|-----|---------|--------|--------|------|----|------|----------------------------|--------------|--|
| 18" | S71-S74 | Medium | 18x4.5 | Fr | -2 | 2.70 | M/T Sportsman S/R or M & H | 7XMX8045A27A | |
| | S71-S74 | Medium | 18x5.0 | Fr | 6 | 3.20 | M/T Sportsman S/R or M & H | 7XMX8050A32A | |
| | S71-S74 | Medium | 18x5.5 | Fr | -1 | 3.20 | | 7XMX8055A32A | |
| | S71-S74 | Medium | 18x6.0 | Fr | 5 | 3.70 | | 7XMX8060A37A | |
| | S71-S74 | Medium | 18x6.5 | Fr | -1 | 3.70 | | 7XMX8065A37A | |
| | S71-S74 | Medium | 18x7.0 | Fr | 5 | 4.20 | | 7XMX8070A42A | |
| | S71-S74 | Medium | 18x7.5 | Fr | 11 | 4.70 | | 7XMX8075A47A | |
| | S71-S74 | Medium | 18x8.0 | Both | 18 | 5.20 | | 7XMX8080A52A | |
| | S71-S74 | Medium | 18x8.5 | Both | 11 | 5.20 | | 7XMX8085A52A | |
| | S71-S74 | Medium | 18x9.0 | Both | 25 | 5.70 | 245F/275R | 7XMX8090A57A | |

| | | | | | | | | | |
|-----|---------|--------|--------|------|----|------|----------------------------|--------------|--|
| 20" | S71-S74 | Medium | 20x4.5 | Fr | -9 | 2.40 | M/T Sportsman S/R or M & H | 7XMX0045A24A | |
| | S71-S74 | Medium | 20x5.0 | Fr | 11 | 3.40 | M/T Sportsman S/R or M & H | 7XMX0050A34A | |
| | S71-S74 | Medium | 20x5.5 | Fr | 4 | 3.40 | | 7XMX0055A34A | |
| | S71-S74 | Medium | 20x6.0 | Fr | 10 | 3.90 | | 7XMX0060A39A | |
| | S71-S74 | Medium | 20x6.5 | Fr | 4 | 3.90 | | 7XMX0065A39A | |
| | S71-S74 | Medium | 20x7.0 | Fr | 10 | 4.40 | | 7XMX0070A44A | |
| | S71-S74 | Medium | 20x7.5 | Fr | 17 | 4.90 | | 7XMX0075A49A | |
| | S71-S74 | Medium | 20x8.0 | Both | 23 | 5.40 | | 7XMX0080A54A | |
| | S71-S74 | Medium | 20x8.5 | Both | 17 | 5.40 | | 7XMX0085A54A | |
| | S71-S74 | Medium | 20x9.0 | Both | 30 | 5.90 | 245F/275R | 7XMX0085A59A | |

Mustang Fox, SVO
1984-1986
Only 5 lug Fox body
5x4.5 (A) bolt circle

| | | | | | | | | | |
|-----|-----|--------|---------|--------|-----|------|-----------|--------------|--|
| 15" | S71 | Medium | 15x4.08 | Fr | -26 | 1.50 | 26X4.5-15 | 71MX-504A15A | |
| | S71 | Medium | 15x5.25 | Fr | -16 | 2.50 | | 71MX-505A25A | |
| | S71 | Medium | 15x6.25 | Fr | -3 | 3.50 | | 71MX-506A35A | |
| | S71 | Medium | 15x7.25 | Fr | 10 | 4.50 | | 71MX-507A45A | |
| | S71 | Medium | 15x8.08 | Both | 26 | 5.50 | 245 | 71MX-508A55A | |
| | S71 | Medium | 15x9.08 | R only | 37 | 6.50 | | | |

| | | | | | | | | | |
|-----|-----|--------|--------|--------|-----|------|--------------------------|--------------|--|
| 17" | S71 | Medium | 17x4.5 | Fr | -14 | 2.20 | 26x7.5-17 Hoosier or M&H | 71MX7045A22A | |
| | S71 | Medium | 17x5.2 | Fr | -5 | 2.90 | | 71MX7052A30A | |
| | S71 | Medium | 17x5.5 | Fr | 1 | 3.30 | | 71MX7055A33A | |
| | S71 | Medium | 17x6.0 | Fr | 8 | 3.80 | | 71MX7070A38A | |
| | S71 | Medium | 17x6.5 | Fr | 14 | 4.30 | | 71MX7065A43A | |
| | S71 | Medium | 17x7.0 | Fr | 20 | 4.80 | | 71MX7070A48A | |
| | S71 | Medium | 17x7.5 | Fr | 27 | 5.30 | | 71MX7075A53A | |
| | S71 | Medium | 17x8.0 | Both | 34 | 5.80 | 245F/275R | 71MX7080A58A | |
| | S71 | Medium | 17x9.0 | R only | 46 | 6.30 | 245F/275R | 71MX7090A63A | |

| | | | | | | | | | |
|-----|---------|--------|--------|--------|-----|------|----------------------------|--------------|--|
| 18" | S71-S74 | Medium | 18x4.5 | F | -13 | 2.70 | M/T Sportsman S/R or M & H | 7XMX8050A27A | |
| | S71-S74 | Medium | 18x5.0 | F | -8 | 2.70 | | 7XMX8050A27A | |
| | S71-S74 | Medium | 18x5.5 | F | -1 | 3.20 | | 7XMX8055A32A | |
| | S71-S74 | Medium | 18x6.0 | F | 5 | 3.70 | | 7XMX8060A37A | |
| | S71-S74 | Medium | 18x6.5 | F | 11 | 4.20 | | 7XMX8065A42A | |
| | S71-S74 | Medium | 18x7.0 | F | 18 | 4.70 | | 7XMX8070A47A | |
| | S71-S74 | Medium | 18x7.5 | F | 24 | 5.20 | | 7XMX8075A52A | |
| | S71-S74 | Medium | 18x8.0 | Both | 30 | 5.70 | 245F/275R | 7XMX8080A57A | |
| | S71-S74 | Medium | 18x8.5 | R only | 24 | 5.70 | | 7XMX8085A57A | |
| | S71-S74 | Medium | 18x9.0 | R only | 30 | 6.20 | 275 | 7XMX8090A62A | Requires exhaust modification and removal of quad shocks |

| | | | | | | | | | |
|-----|---------|--------|--------|---|-----|------|----------------------------|--------------|--|
| 18" | S71-S74 | Medium | 20x4.5 | F | -13 | 2.40 | M/T Sportsman S/R or M & H | 7XMX0045A24A | |
| | S71-S74 | Medium | 20x5.0 | F | -3 | 2.90 | | 7XMX0050A29A | |

| | | | | | | | | | | |
|-----|---------|--------|--------|--------|--|----|------|-----------|-------------|--|
| 20" | S71-S74 | Medium | 20x5.5 | F | | 4 | 3.40 | | 7XM0055A34A | |
| | S71-S74 | Medium | 20x6.0 | F | | 10 | 3.90 | | 7XM0060A39A | |
| | S71-S74 | Medium | 20x6.5 | F | | 17 | 4.40 | | 7XM0065A44A | |
| | S71-S74 | Medium | 20x7.0 | F | | 23 | 4.90 | | 7XM0070A49A | |
| | S71-S74 | Medium | 20x7.5 | F | | 29 | 5.40 | | 7XM0075A54A | |
| | S71-S74 | Medium | 20x8.0 | Both | | 36 | 5.90 | 245F/275R | 7XM0080A59A | |
| | S71-S74 | Medium | 20x9.0 | R only | | 36 | 6.40 | 275 | 7XM0090A64A | Requires exhaust modification and removal of quad shocks |

Mustang Fox, Cobra
GT, Pace Car, LX, Base,
1979-1993
Only 5 lug Fox body
5x4.5 (A) bolt circle

| | | | | | | | | | | |
|-----|-----|-----|---------|--------|--|-----|------|-----------|--------------|--|
| 15" | S71 | Low | 15x4.08 | Fr | | -1 | 2.50 | 26X4.5-15 | 71LX-504A25A | |
| | S71 | Low | 15x5.25 | Fr | | -16 | 2.50 | | 71LX-505A25A | |
| | S71 | Low | 15x6.25 | Fr | | -3 | 3.50 | | 71LX-506A35A | |
| | S71 | Low | 15x7.25 | Fr | | 10 | 4.50 | | 71LX-507A35A | |
| | S71 | Low | 15x8.08 | R only | | 22 | 5.50 | 245 | 71LX-508A55A | |
| | S71 | Low | 15x9.08 | R only | | 34 | 6.50 | 275 | 71LX-509A65A | Requires exhaust modification and removal of quad shocks |

| | | | | | | | | | | |
|-----|-----|-----|--------|------|--|-----|------|--------------------------|--------------|--|
| 17" | S71 | Low | 17x4.5 | Fr | | -27 | 1.70 | 26x7.5-17 Hoosier or M&H | 71LX7045A17A | |
| | S71 | Low | 17x5.2 | Fr | | -15 | 2.50 | | 71LX7052A25A | |
| | S71 | Low | 17x6.0 | Fr | | -15 | 2.90 | | 71LX7060A30A | |
| | S71 | Low | 17x6.5 | Fr | | 4 | 3.90 | | 71LX7065A40A | |
| | S71 | Low | 17x7.0 | Fr | | 10 | 4.40 | | 71LX7070A45A | |
| | S71 | Low | 17x7.5 | Fr | | 17 | 4.90 | | 71LX7075A50A | |
| | S71 | Low | 17x8.0 | Both | | 23 | 5.40 | 245F/275R | 71LX7080A55A | |
| | S71 | Low | 17x9.0 | Both | | 23 | 5.90 | 245F/275R | 71LX7090A60A | Requires exhaust modification and removal of quad shocks |

| | | | | | | | | | | |
|---------|---------|--------|--------|--------|----|------|------|----------------------------|--|--|
| 18" | S71-S74 | Low | 18x4.5 | Fr | | -13 | 2.20 | M/T Sportsman S/R or M & H | 7XLX8045A22A | |
| | S71-S74 | Low | 18x5.0 | Fr | | -8 | 2.70 | | 7XLX8050A27A | |
| | S71-S74 | Low | 18x5.5 | Fr | | -14 | 2.70 | | 7XLX8055A27A | |
| | S71-S74 | Low | 18x6.0 | Fr | | -8 | 3.20 | | 7XLX8060A32A | |
| | S71-S74 | Low | 18x6.5 | Fr | | -1 | 3.70 | | 7XLX8065A37A | |
| | S71-S74 | Low | 18x7.0 | Fr | | 5 | 4.20 | | 7XLX8070A42A | |
| | S71-S74 | Low | 18x7.5 | Fr | | 11 | 4.70 | | 7XLX8075A47A | |
| | S71-S74 | Low | 18x8.0 | Both | | 18 | 5.20 | 245F/275R | 7XLX8080A52A | |
| | S71-S74 | Low | 18x8.5 | R only | | 24 | 5.70 | | 7XLX8085A57A | |
| S71-S74 | Low | 18x9.0 | R only | | 30 | 6.20 | 265 | 7XLX8090A62A | Requires exhaust modification and removal of quad shocks | |

| | | | | | | | | | | |
|-----|---------|-----|--------|--------|--|-----|------|----------------------------|--------------|--|
| 20" | S71-S74 | Low | 20x4.5 | Fr | | -13 | 2.00 | M/T Sportsman S/R or M & H | 7XLX0045A20A | |
| | S71-S74 | Low | 20x5.0 | Fr | | -13 | 2.50 | | 7XLX0050A25A | |
| | S71-S74 | Low | 20x5.5 | Fr | | -19 | 2.50 | | 7XLX0055A25A | |
| | S71-S74 | Low | 20x6.0 | Fr | | -13 | 3.00 | | 7XLX0060A30A | |
| | S71-S74 | Low | 20x6.5 | Fr | | -6 | 3.50 | | 7XLX0065A35A | |
| | S71-S74 | Low | 20x7.0 | Fr | | 0 | 4.00 | | 7XLX0070A40A | |
| | S71-S74 | Low | 20x7.5 | Fr | | 6 | 4.50 | | 7XLX0075A45A | |
| | S71-S74 | Low | 20x8.0 | Both | | 38 | 5.00 | 245F/275R | 7XLX0080A50A | |
| | S71-S74 | Low | 20x8.5 | R only | | 19 | 5.50 | | 7XLX0085A55A | |
| | S71-S74 | Low | 20x9.0 | R only | | 25 | 6.00 | 265 | 7XLX0090A60A | Requires exhaust modification and removal of quad shocks |

Mustang all
1969-1973
5x4.5 (A) bolt circle

| | | | | | | | | | | |
|-----|-----|-----|---------|--------|--|----|------|-----------|--------------|--|
| 15" | S71 | Low | 15x4.08 | Fr | | -2 | 2.50 | 26X4.5-15 | 71LX-504A25A | |
| | S71 | Low | 15x5.25 | Fr | | 10 | 3.50 | | 71LX-505A35A | |
| | S71 | Low | 15x6.25 | Fr | | -3 | 3.50 | | 71LX-506A35A | |
| | S71 | Low | 15x7.25 | Fr | | 10 | 4.50 | | 71LX-507A45A | |
| | S71 | Low | 15x8.08 | Both | | -1 | 4.50 | 245F/255R | 71LX-508A45A | |
| | S71 | Low | 15x9.08 | R only | | 12 | 5.50 | 275 | 71LX-509A55A | Relocate rear Stabilizer bar if equipped except Boss 429 |

| | | | | | | | | | | |
|-----|-----|-----|--------|--------|--|-----|------|--------------------------|--------------|--|
| 17" | S71 | Low | 17x4.5 | Fr | | -27 | 1.70 | 26x7.5-17 Hoosier or M&H | 71LX7045A17A | |
| | S71 | Low | 17x5.2 | Fr | | -15 | 2.50 | | 71LX7052A25A | |
| | S71 | Low | 17x5.5 | Fr | | -9 | 2.90 | | 71LX7055A30A | |
| | S71 | Low | 17x7.0 | Fr | | -3 | 3.90 | | 71LX7070A40A | |
| | S71 | Low | 17x7.5 | Fr | | 4 | 4.40 | | 71LX7070A45A | |
| | S71 | Low | 17x8.0 | Both | | 10 | 4.90 | 245F/255R | 71LX7080A50A | |
| | S71 | Low | 17x8.5 | R only | | 4 | 4.90 | | 71LX7085A50A | |
| | S71 | Low | 17x9.0 | R only | | 10 | 5.40 | 275 | 71LX7090A55A | Relocate rear Stabilizer bar if equipped except Boss 429 |

| | | | | | | | | | | |
|-----|---------|-----|--------|----|--|-----|------|----------------------------|--------------|--|
| 20" | S71-S74 | Low | 18x4.5 | Fr | | -13 | 2.20 | M/T Sportsman S/R or M & H | 7XLX8045A22A | |
| | S71-S74 | Low | 18x5.0 | Fr | | -20 | 2.20 | | 7XLX8050A22A | |
| | S71-S74 | Low | 18x5.5 | Fr | | -14 | 2.70 | | 7XLX8055A27A | |
| | S71-S74 | Low | 18x6.0 | Fr | | -8 | 3.20 | | 7XLX8060A32A | |

| | | | | | | | | | |
|-----|---------|-----|--------|--------|-----|------|-----------|--------------|--|
| 18" | S71-S74 | Low | 18X6.5 | Fr | -14 | 3.20 | | 7XLX8065A32A | |
| | S71-S74 | Low | 18X7.0 | Fr | -8 | 3.70 | | 7XLX8070A37A | |
| | S71-S74 | Low | 18X7.5 | Fr | -1 | 4.20 | | 7XLX8075A42A | |
| | S71-S74 | Low | 18x8.0 | Both | 5 | 4.70 | 245F/255R | 7XLX8080A47A | |
| | S71-S74 | Low | 18x9.0 | R only | 5 | 5.20 | 265 | 7XLX8090A52A | Relocate rear Stabilizer bar if equipped except Boss 429 |

| | | | | | | | | | |
|-----|---------|-----|--------|--------|----|------|-----|--------------|--|
| 20" | S71-S74 | Low | 20x9.0 | R only | 13 | 5.50 | 265 | 7XLX0090A55A | Relocate rear Stabilizer bar if equipped except Boss 429 |
|-----|---------|-----|--------|--------|----|------|-----|--------------|--|

Mustang all
1967-1968
5x4.5 (A) bolt circle

| | | | | | | | | | |
|-----|-----|-----|---------|--------|-----|------|-----------|--------------|--|
| 15" | S71 | Low | 15x4.08 | Fr | -2 | 2.50 | 26X4.5-15 | 71LX-504A25A | |
| | S71 | Low | 15x5.25 | Fr | -16 | 2.50 | | 71LX-505A25A | |
| | S71 | Low | 15x6.25 | Fr | -3 | 3.50 | | 71LX-506A35A | |
| | S71 | Low | 15X7.25 | Both | 10 | 4.50 | 245 | 71LX-507A45A | |
| | S71 | Low | 15X8.25 | R only | 22 | 5.50 | 275 | 71LX-508A55A | |

| | | | | | | | | | |
|-----|-----|-----|--------|--------|-----|------|--------------------------|--------------|--|
| 17" | S71 | Low | 17x4.5 | Fr | -27 | 1.70 | 26x7.5-17 Hoosier or M&H | 71LX7045A17A | |
| | S71 | Low | 17x5.2 | Fr | -15 | 2.50 | | 71LX7052A25A | |
| | S71 | Low | 17x5.5 | Fr | -9 | 2.90 | | 71LX7055A30A | |
| | S71 | Low | 17x6.0 | Fr | -15 | 2.90 | | 71LX7060A30A | |
| | S71 | Low | 17x6.5 | Fr | 4 | 3.90 | | 71LX7065A40A | |
| | S71 | Low | 17x7.0 | Fr | 10 | 4.40 | | 71LX7070A45A | |
| | S71 | Low | 17x7.5 | Fr | 4 | 4.40 | | 71LX7075A45A | |
| | S71 | Low | 17x8.0 | Both | 10 | 4.90 | 245F/255R | 71LX7080A50A | |
| | S71 | Low | 17x8.5 | R only | 4 | 4.90 | | 71LX7085A50A | |
| | S71 | Low | 17x9.0 | R only | 10 | 5.40 | 275 | 71LX7090A55A | |

| | | | | | | | | | |
|---------|---------|--------|--------|------|------|------|----------------------------|--|--|
| 18" | S71-S74 | Low | 18x4.5 | Fr | -13 | 2.20 | M/T Sportsman S/R or M & H | 7XLX8045A22A | |
| | S71-S74 | Low | 18X5.0 | Fr | -20 | 2.20 | | 7XLX8050A22A | |
| | S71-S74 | Low | 18X5.5 | Fr | -14 | 2.70 | | 7XLX8055A27A | |
| | S71-S74 | Low | 18X6.0 | Fr | -8 | 3.20 | | 7XLX8060A32A | |
| | S71-S74 | Low | 18X6.5 | Fr | -14 | 3.20 | | 7XLX8065A32A | |
| | S71-S74 | Low | 18X7.0 | Fr | -8 | 3.70 | | 7XLX8070A37A | |
| | S71-S74 | Low | 18X7.5 | Fr | -1 | 4.20 | | 7XLX8075A42A | |
| | S71-S74 | Low | 18x8.0 | Both | 5 | 4.70 | 245F/255R | 7XLX8080A47A | |
| S71-S74 | Low | 18x9.0 | R only | 5 | 5.20 | 265 | 7XLX8090A52A | Relocate rear Stabilizer bar if equipped except Boss 429 | |

| | | | | | | | | | |
|-----|---------|-----|--------|--------|----|------|-----|--------------|---------------------------|
| 20" | S71-S74 | Low | 20x9.0 | R only | 34 | 5.50 | 265 | 7XLX0090A55A | Edgy fit, watch tire size |
|-----|---------|-----|--------|--------|----|------|-----|--------------|---------------------------|

Mustang all
1965-1966
5x4.5 (A) bolt circle

| | | | | | | | | | |
|-----|-----|-----|---------|--------|-----|------|-----------|--------------|--|
| 15" | S71 | Low | 15x4.08 | Fr | -2 | 2.50 | 26X4.5-15 | 71LX-504A25A | |
| | S71 | Low | 15x5.25 | Fr | -16 | 2.50 | | 71LX-505A25A | |
| | S71 | Low | 15X6.83 | Both | 15 | 4.50 | 225 | 71LX-507A45A | |
| | S71 | Low | 15X7.83 | R only | 3 | 4.50 | 255 | 71LX-508A45A | |

| | | | | | | | | | |
|-----|-----|--------|--------|--------|------|------|--------------------------|--------------|--|
| 17" | S71 | Low | 17x4.5 | Fr | -27 | 1.70 | 26x7.5-17 Hoosier or M&H | 71LX7045A17A | |
| | S71 | Low | 17x5.0 | Fr | -15 | 2.50 | | 71LX7052A25A | |
| | S71 | Low | 17x5.5 | Fr | -9 | 2.90 | | 71LX7055A30A | |
| | S71 | Low | 17x7.0 | Both | 10 | 4.40 | 225F/245R | 71LX7070A45A | |
| | S71 | Low | 17x7.5 | R only | 4 | 4.40 | | 71LX7075A45A | |
| S71 | Low | 17x8.0 | R only | -3 | 4.40 | 255 | 71LX7080A45A | | |

| | | | | | | | | | |
|-----|---------|-----|--------|------|-----|------|----------------------------|--------------|--|
| 18" | S71-S74 | Low | 18x4.5 | Fr | -13 | 2.20 | M/T Sportsman S/R or M & H | 7XLX8045A22A | |
| | S71-S74 | Low | 18X5.0 | Fr | -20 | 2.20 | | 7XLX8050A22A | |
| | S71-S74 | Low | 18X5.5 | Fr | -14 | 2.70 | | 7XLX8055A27A | |
| | S71-S74 | Low | 18X6.0 | Fr | -8 | 3.20 | | 7XLX8060A32A | |
| | S71-S74 | Low | 18X6.5 | Fr | -14 | 3.20 | | 7XLX8065A32A | |
| | S71-S74 | Low | 18X7.0 | Fr | -8 | 3.70 | | 7XLX8070A37A | |
| | S71-S74 | Low | 18X7.5 | Fr | -1 | 4.20 | | 7XLX8075A42A | |
| | S71-S74 | Low | 18x8.0 | Both | 5 | 4.70 | 245F/255R | 7XLX8080A47A | |

| | | | | | | | | | |
|-----|---------|-----|--------|--------|----|------|-----|--------------|---------------------------|
| 20" | S71-S74 | Low | 20x8.0 | R only | 34 | 4.50 | 265 | 7XLX0090A45A | Edgy fit, watch tire size |
|-----|---------|-----|--------|--------|----|------|-----|--------------|---------------------------|

Thunderbird, Fox
Base, LX, Turbo Coupe
1983-1988
5x4.5 (A) bolt circle

| | | | | | | | | | |
|-----|-----|-----|---------|--------|----|------|-----------|--------------|--|
| 15" | S71 | Low | 15x4.08 | Fr | -2 | 2.50 | 26X4.5-15 | 71LX-504A25A | |
| | S71 | Low | 15x5.25 | Fr | 10 | 3.50 | | 71LX-505A35A | |
| | S71 | Low | 15x6.25 | Fr | -3 | 3.50 | | 71LX-506A35A | |
| | S71 | Low | 15x7.25 | Fr | 10 | 4.50 | | 71LX-507A45A | |
| | S71 | Low | 15x8.25 | Both | 22 | 5.50 | 245 | 71LX-508A55A | |
| | S71 | Low | 15X9.25 | R only | 35 | 6.50 | 275 | 71LX-509A65A | Requires exhaust modification and removal of quad shocks |

| | | | | | | | | | | |
|-----|-----|-----|--------|--------|--|-----|------|--------------------------|--------------|--|
| 17" | S71 | Low | 17x4.5 | Fr | | -27 | 1.70 | 26x7.5-17 Hoosier or M&H | 71LX7045A17A | |
| | S71 | Low | 17x5.2 | Fr | | -15 | 2.50 | | 71LX7052A25A | |
| | S71 | Low | 17x6.0 | Fr | | -15 | 2.90 | | 71LX7060A30A | |
| | S71 | Low | 17x6.5 | Fr | | 4 | 3.90 | | 71LX7065A40A | |
| | S71 | Low | 17x7.0 | Fr | | 10 | 4.40 | | 71LX7070A45A | |
| | S71 | Low | 17x7.5 | Fr | | 17 | 4.90 | | 71LX7075A50A | |
| | S71 | Low | 17x8.0 | Both | | 23 | 5.40 | 245F/275R | 71LX7080A55A | |
| | S71 | Low | 17x9.0 | R only | | 23 | 5.90 | 275 | 71LX7090A60A | Requires exhaust modification and removal of quad shocks |

| | | | | | | | | | | |
|-----|---------|-----|--------|--------|--|-----|------|----------------------------|--------------|--|
| 18" | S71-S74 | Low | 18x5.0 | Fr | | -13 | 2.20 | M/T Sportsman S/R or M & H | 7XLX8050A22A | |
| | S71-S74 | Low | 18x5.5 | Fr | | -14 | 2.70 | | 7XLX8055A27A | |
| | S71-S74 | Low | 18x6.0 | Fr | | -8 | 3.20 | | 7XLX8060A32A | |
| | S71-S74 | Low | 18x6.5 | Fr | | -1 | 3.70 | | 7XLX8065A37A | |
| | S71-S74 | Low | 18x7.0 | Fr | | 5 | 4.20 | | 7XLX8070A42A | |
| | S71-S74 | Low | 18x7.5 | Fr | | 11 | 4.70 | | 7XLX8075A47A | |
| | S71-S74 | Low | 18x8.0 | Both | | 18 | 5.20 | 245F/275R | 7XLX8080A52A | |
| | S71-S74 | Low | 18x9.0 | R only | | 30 | 6.20 | 265 | 7XLX8090A62A | Requires exhaust modification and removal of quad shocks |

| | | | | | | | | | | |
|-----|---------|-----|--------|--------|--|----|------|-----|--------------|--|
| 20" | S71-S74 | Low | 20x9.0 | R only | | 34 | 6.50 | 265 | 7XLX0090A65A | Requires exhaust modification and removal of quad shocks |
|-----|---------|-----|--------|--------|--|----|------|-----|--------------|--|

LTD LX, Fox
1984-1985
5x4.5 (A) bolt circle

| | | | | | | | | | | |
|-----|-----|-----|---------|--------|--|-----|------|-----------|--------------|--|
| 15" | S71 | Low | 15x4.08 | Fr | | -2 | 2.50 | 26X4.5-15 | 71LX-504A25A | |
| | S71 | Low | 15x5.25 | Fr | | -16 | 2.50 | | 71LX-505A25A | |
| | S71 | Low | 15x6.25 | Fr | | -3 | 3.50 | | 71LX-506A35A | |
| | S71 | Low | 15x7.83 | Both | | 28 | 5.50 | 245 | 71LX-508A55A | |
| | S71 | Low | 15x9.33 | R only | | 34 | 6.50 | 275 | 71LX-509A65A | Requires exhaust modification and removal of quad shocks |

| | | | | | | | | | | |
|-----|-----|-----|--------|--------|--|-----|------|--------------------------|--------------|--|
| 17" | S71 | Low | 17x4.5 | Fr | | -27 | 1.70 | 26x7.5-17 Hoosier or M&H | 71LX7045A17A | |
| | S71 | Low | 17x5.2 | Fr | | -15 | 2.50 | | 71LX7052A25A | |
| | S71 | Low | 17x6.0 | Fr | | -15 | 2.90 | | 71LX7060A30A | |
| | S71 | Low | 17x6.5 | Fr | | 4 | 3.90 | | 71LX7065A40A | |
| | S71 | Low | 17x7.0 | Fr | | 10 | 4.40 | | 71LX7070A45A | |
| | S71 | Low | 17x7.5 | Fr | | 17 | 4.90 | | 71LX7075A50A | |
| | S71 | Low | 17x8.0 | Both | | 23 | 5.40 | 245F/275R | 71LX7080A55A | |
| | S71 | Low | 17x9.0 | R only | | 23 | 5.90 | 275 | 71LX7090A60A | Requires exhaust modification and removal of quad shocks |

| | | | | | | | | | | |
|-----|---------|-----|--------|--------|--|-----|------|----------------------------|--------------|--|
| 18" | S71-S74 | Low | 18x5.0 | Fr | | -13 | 2.20 | M/T Sportsman S/R or M & H | 7XLX8050A22A | |
| | S71-S74 | Low | 18x5.5 | Fr | | -14 | 2.70 | | 7XLX8055A27A | |
| | S71-S74 | Low | 18x6.0 | Fr | | -8 | 3.20 | | 7XLX8060A32A | |
| | S71-S74 | Low | 18x6.5 | Fr | | -1 | 3.70 | | 7XLX8065A37A | |
| | S71-S74 | Low | 18x7.0 | Fr | | 5 | 4.20 | | 7XLX8070A42A | |
| | S71-S74 | Low | 18x7.5 | Fr | | 11 | 4.70 | | 7XLX8075A47A | |
| | S71-S74 | Low | 18x8.0 | Both | | 18 | 5.20 | 245F/275R | 7XLX8080A52A | |
| | S71-S74 | Low | 18x9.0 | R only | | 30 | 6.20 | 265 | 7XLX8090A62A | Requires exhaust modification and removal of quad shocks |

| | | | | | | | | | | |
|-----|---------|-----|--------|--------|--|----|------|-----|--------------|--|
| 20" | S71-S74 | Low | 20x9.0 | R only | | 34 | 6.50 | 265 | 7XLX0090A65A | Requires exhaust modification and removal of quad shocks |
|-----|---------|-----|--------|--------|--|----|------|-----|--------------|--|

Torino, Gran Torino,
Elite 1972-1976
Ranchero 1972-1979
5x4.5 (A) bolt circle

| | | | | | | | | | | |
|-----|-----|-----|---------|--------|--|----|------|-----------|--------------|--|
| 15" | S71 | Low | 15x4.08 | Fr | | -2 | 2.50 | 26X4.5-15 | 71LX-504A25A | |
| | S71 | Low | 15x5.25 | Fr | | 10 | 3.50 | | 71LX-505A35A | |
| | S71 | Low | 15x6.25 | Fr | | -3 | 3.50 | | 71LX-506A35A | |
| | S71 | Low | 15x7.25 | Fr | | 10 | 4.50 | | 71LX-507A45A | |
| | S71 | Low | 15x8.08 | Both | | -1 | 4.50 | 245F/255R | 71LX-508A45A | |
| | S71 | Low | 15x9.08 | R only | | 12 | 5.50 | 275 | 71LX-509A55A | |

| | | | | | | | | | | |
|-----|-----|-----|--------|--------|--|-----|------|--------------------------|--------------|--|
| 17" | S71 | Low | 17x4.5 | Fr | | -27 | 1.70 | 26x7.5-17 Hoosier or M&H | 71LX7045A17A | |
| | S71 | Low | 17x5.2 | Fr | | -15 | 2.50 | | 71LX7052A25A | |
| | S71 | Low | 17x5.5 | Fr | | -9 | 2.90 | | 71LX7055A30A | |
| | S71 | Low | 17x6.0 | Fr | | -15 | 2.90 | | 71LX7060A30A | |
| | S71 | Low | 17x6.5 | Fr | | 4 | 3.90 | | 71LX7065A40A | |
| | S71 | Low | 17x7.0 | Fr | | 10 | 4.40 | | 71LX7070A45A | |
| | S71 | Low | 17x7.5 | Fr | | 4 | 4.40 | | 71LX7075A45A | |
| | S71 | Low | 17x8.0 | Both | | 10 | 4.90 | 245F/255R | 71LX7080A50A | |
| | S71 | Low | 17x8.5 | R only | | 4 | 4.90 | | 71LX7085A50A | |
| | S71 | Low | 17x9.0 | R only | | 10 | 5.40 | 275 | 71LX7090A55A | |

| | | | | | | | | | |
|---------|---------|--------|--------|--------|------|------|----------------------------|--------------|--|
| 18" | S71-S74 | Low | 18x4.5 | Fr | -13 | 2.20 | M/T Sportsman S/R or M & H | 7XLX8045A22A | |
| | S71-S74 | Low | 18x5.0 | Fr | -20 | 2.20 | | 7XLX8050A22A | |
| | S71-S74 | Low | 18x5.5 | Fr | -14 | 2.70 | | 7XLX8055A27A | |
| | S71-S74 | Low | 18x6.0 | Fr | -20 | 2.70 | | 7XLX8060A27A | |
| | S71-S74 | Low | 18x6.5 | Fr | -14 | 3.20 | | 7XLX8065A32A | |
| | S71-S74 | Low | 18x7.0 | Fr | -8 | 3.70 | | 7XLX8070A37A | |
| | S71-S74 | Low | 18x7.5 | Fr | -1 | 4.20 | | 7XLX8075A42A | |
| | S71-S74 | Low | 18x8.0 | Both | 5 | 4.70 | 245F/275R | 7XLX8080A47A | |
| | S71-S74 | Low | 18x8.5 | R only | -14 | 4.20 | | 7XLX8085A42A | |
| | S71-S74 | Low | 18x9.0 | R only | -8 | 4.70 | | 7XLX8080A47A | |
| S71-S74 | Low | 18x9.5 | R only | -1 | 5.20 | 285 | 7XLX8095A52A | | |

| | | | | | | | | | |
|---------|---------|--------|--------|--------|------|------|----------------------------|--------------|--|
| 20" | S71-S74 | Low | 20x4.5 | Fr | -13 | 2.00 | M/T Sportsman S/R or M & H | 7XLX0045A20A | |
| | S71-S74 | Low | 20x5.0 | Fr | -25 | 2.00 | | 7XLX0050A20A | |
| | S71-S74 | Low | 20x5.5 | Fr | -19 | 2.50 | | 7XLX0055A25A | |
| | S71-S74 | Low | 20x6.0 | Fr | -13 | 3.00 | | 7XLX0060A30A | |
| | S71-S74 | Low | 20x6.5 | Fr | -6 | 3.50 | | 7XLX0065A35A | |
| | S71-S74 | Low | 20x7.0 | Fr | 0 | 4.00 | | 7XLX0070A40A | |
| | S71-S74 | Low | 20x7.5 | Fr | 6 | 4.50 | | 7XLX0075A45A | |
| | S71-S74 | Low | 20x8.0 | Both | 13 | 5.00 | 245F/275R | 7XLX0080A50A | |
| | S71-S74 | Low | 20x8.5 | R only | -6 | 4.50 | | 7XLX0085A45A | |
| | S71-S74 | Low | 20x9.0 | R only | 0 | 5.00 | | 7XLX0090A50A | |
| S71-S74 | Low | 20x9.5 | R only | 6 | 5.50 | 285 | 7XLX0095A55A | | |

Fairlane, Torino, GT,
Cobra, Rancho
1968-1971
5x4.5 (A) bolt circle

| | | | | | | | | | |
|-----|-----|-----|---------|--------|----|------|-----------|--------------|--|
| 15" | S71 | Low | 15x4.08 | Fr | -2 | 2.50 | 26X4.5-15 | 71LX-504A25A | |
| | S71 | Low | 15x5.25 | Fr | 10 | 3.50 | | 71LX-505A35A | |
| | S71 | Low | 15x6.25 | Fr | -3 | 3.50 | | 71LX-506A35A | |
| | S71 | Low | 15x7.25 | Fr | 10 | 4.50 | | 71LX-507A45A | |
| | S71 | Low | 15x8.08 | Both | -1 | 4.50 | 245F/255R | 71LX-508A45A | |
| | S71 | Low | 15x9.08 | R only | 12 | 5.50 | 275 | 71LX-509A55A | |

| | | | | | | | | | |
|-----|-----|-----|--------|--------|-----|------|--------------------------|--------------|--|
| 17" | S71 | Low | 17x4.5 | Fr | -27 | 1.70 | 26x7.5-17 Hoosier or M&H | 71LX7045A17A | |
| | S71 | Low | 17x5.2 | Fr | -15 | 2.50 | | 71LX7052A25A | |
| | S71 | Low | 17x5.5 | Fr | -9 | 2.90 | | 71LX7055A30A | |
| | S71 | Low | 17x6.0 | Fr | -15 | 2.90 | | 71LX7060A30A | |
| | S71 | Low | 17x6.5 | Fr | 4 | 3.90 | | 71LX7065A40A | |
| | S71 | Low | 17x7.0 | Fr | 10 | 4.40 | | 71LX7070A45A | |
| | S71 | Low | 17x7.5 | Fr | 4 | 4.40 | | 71LX7075A45A | |
| | S71 | Low | 17x8.0 | Both | 10 | 4.90 | 245F/255R | 71LX7080A50A | |
| | S71 | Low | 17x8.5 | R only | 4 | 4.90 | | 71LX7085A50A | |
| | S71 | Low | 17x9.0 | R only | 10 | 5.40 | 275 | 71LX7090A55A | |

| | | | | | | | | | |
|-----|---------|-----|--------|--------|-----|------|----------------------------|--------------|--|
| 18" | S71-S74 | Low | 18x4.5 | Fr | -13 | 2.20 | M/T Sportsman S/R or M & H | 7XLX8045A22A | |
| | S71-S74 | Low | 18x5.0 | Fr | -20 | 2.20 | | 7XLX8050A22A | |
| | S71-S74 | Low | 18x5.5 | Fr | -14 | 2.70 | | 7XLX8055A27A | |
| | S71-S74 | Low | 18x6.0 | Fr | -8 | 3.20 | | 7XLX8060A32A | |
| | S71-S74 | Low | 18x6.5 | Fr | -14 | 3.20 | | 7XLX8065A32A | |
| | S71-S74 | Low | 18x7.0 | Fr | -8 | 3.70 | | 7XLX8070A37A | |
| | S71-S74 | Low | 18x7.5 | Fr | -1 | 4.20 | | 7XLX8075A42A | |
| | S71-S74 | Low | 18x8.0 | Both | 5 | 4.70 | 245F/255R | 7XLX8080A47A | |
| | S71-S74 | Low | 18x9.0 | R only | 5 | 5.20 | 265 | 7XLX8090A52A | Relocate rear Stabilizer bar if equipped except Boss 429 |

| | | | | | | | | | |
|-----|---------|-----|--------|---|---|------|-----|--------------|--|
| 20" | S71-S74 | Low | 20x9.0 | R | 3 | 5.50 | 285 | 7XLX0095A55A | |
|-----|---------|-----|--------|---|---|------|-----|--------------|--|

Fairlane, Torino, Rancho
1966-1967
5x4.5 (A) bolt circle

| | | | | | | | | | |
|-----|-----|-----|---------|--------|----|------|-----------|--------------|--|
| 15" | S71 | Low | 15x4.08 | Fr | -2 | 2.50 | 26X4.5-15 | 71LX-504A25A | |
| | S71 | Low | 15x5.25 | Fr | 10 | 3.50 | | 71LX-505A35A | |
| | S71 | Low | 15x6.25 | Both | 15 | 4.50 | 225 | 71LX-507A45A | |
| | S71 | Low | 15x8.25 | R only | -5 | 4.50 | 255 | 71LX-508A45A | |

| | | | | | | | | | |
|-----|-----|-----|--------|--------|-----|------|--------------------------|--------------|--|
| 17" | S71 | Low | 17x4.5 | Fr | -27 | 1.70 | 26x7.5-17 Hoosier or M&H | 71LX7045A17A | |
| | S71 | Low | 17x5.2 | Fr | -15 | 2.50 | | 71LX7052A25A | |
| | S71 | Low | 17x5.5 | Fr | -9 | 2.90 | | 71LX7055A30A | |
| | S71 | Low | 17x6.0 | Fr | -15 | 2.90 | | 71LX7060A30A | |
| | S71 | Low | 17x6.5 | Fr | 4 | 3.90 | | 71LX7065A40A | |
| | S71 | Low | 17x7.0 | Both | 11 | 4.40 | 225F/245R | 71LX7070A45A | |
| | S71 | Low | 17x8.0 | R only | 11 | 4.90 | 255 | 71LX7080A50A | |

| | | | | | | | | | |
|------------|---------|-----|--------|--------|-----|------|----------------------------|--------------|--|
| 18" | S71-S74 | Low | 18x4.5 | F | -13 | 2.20 | M/T Sportsman S/R or M & H | 7XLX8045A22A | |
| | S71-S74 | Low | 18x5.0 | F | -20 | 2.20 | | 7XLX8050A22A | |
| | S71-S74 | Low | 18x5.5 | F | -14 | 2.70 | | 7XLX8055A27A | |
| | S71-S74 | Low | 18x6.0 | F | -20 | 2.70 | | 7XLX8060A27A | |
| | S71-S74 | Low | 18x6.5 | F | -14 | 3.20 | | 7XLX8065A32A | |
| | S71-S74 | Low | 18x7.0 | Both | 10 | 3.70 | 225F/245R | 7XLX8070A37A | |
| | S71-S74 | Low | 18x8.0 | R only | 3 | 4.70 | 235 | 7XLX8080A47A | |
| 20" | S71-S74 | Low | 20x8.0 | R only | 3 | 5.00 | 235 | 7XLX0080A50A | |